

New Standard For Daily Cleaning Performance And Maneuverability



**Next generation in daily
small area scrubbing and drying**



SC351

Advanced Technology Delivers Ultimate Control for Supervisors and Users



The unique rotating deck and 27 kg brush pressure enable SC351 to clean and dry both forward and backward reaching even the most inaccessible places



Low sound level allow daytime cleaning in sound sensitive areas



The powerful brush motor is designed for maximum reliability and cleaning performance



SC351

Next generation in daily small area scrubbing and drying

Easy everywhere cleaning

The SC351 is adding next generation performance to a century of Nilfisk traditions for trusted and reliable cleaning equipment.

Nilfisk SC351 is offering both forward and backward scrubbing and drying with an impressive brush pressure of 27 kg. Easy to see how useful this feature is for cleaning in crowded places, between and behind tables, shelves, furniture and in other less accessible areas. Add to that an attractive price and unmatched reliability.

Ideally suited for cleaning of hotels, schools, small shops, offices, canteens and coffee shops, SC351 is offering unique performance in a small and handy machine. Drop the mop, single disc or heavy, expensive machines and achieve remarkable results with Nilfisk SC351:

- Rotating deck enabling this compact unit to scrub and dry going either forward or backward
- 27 kg of down pressure for outstanding scrubbing effectiveness.
- Powerful brush motor to increase reliability, reduce service costs and giving superior cleaning performance
- A redesigned deck ensures reliability and increased performance with low maintenance costs
- Optima batteries available offering high productivity, constant performance, less weight and more environmental friendly with the use of less lead
- Easy brush adjustment for perfect traction control
- New squeegee system with high suction performance, and patent blade retaining system for easy removal and change of blades
- Fast and simple maintenance: All components are accessible quickly, without the need for tools
- Adjustable water flow with two optional settings.
- Brush deck with large bumper rollers and spring system for shock absorption improve reliability



Thanks to the compact design and foldable handle, the SC351 is easy to transport and store, even when space is limited



Removable two tank system with transparent plastic lid and rubber protected handles makes them easy to carry



Reliability is also our mantra when it comes to service

A Nilfisk machine functions optimally when cared for by regular service and maintenance visits. Therefore we have created the optimal service solution: three levels of service reflecting different requirements and an optional supply of a substitute machine in critical situations.

Service Solutions Standard - Professional maintenance

Your contract encompasses two yearly maintenance visits and 48 hours response time. Breakdown visits and spare parts are billed separately.

Service Solutions Plus - Optimised performance

With the Plus solution you have a firm grip on your maintenance and repair costs while knowing that your performance is never compromised, only optimised.

Service Solutions Premium - Maximised uptime

If uptime is your absolute top priority and key concern, Service Solutions Premium is the best choice. A quarterly maintenance visit is included, and there are no sudden financial surprises.

- Ergonomic adjustable handle that easily can be folded for storage or transportation
- On-board battery charger as standard
- The brush and squeegee blades can easily be changed. No need for tools
- You can quickly change blades without using tools
- Two knobs beneath the tanks allow simple adjustment of the deck angle for full traction control



- ↑ High performing Polyurethane squeegee blades as standard
- ↑ Large rollers and spring system for shock absorption improve reliability

- ← Simple to use control panel with three operating-modes makes it easy to control even for beginners
- ← Removable tanks with transparent lid for easy inspection and for fast refill and cleaning
- ← Patent elastic strap system to easy install and remove squeegee blades without any tool
- ← Rotating deck and integrated squeegee enable both forward and backward cleaning

Technical specifications

Description	Unit	SC351		
Voltage	V	12		
Rated power	W	500		
Sound pressure level at 1.5m	dB(A)	64		
Productivity rate theoretical/ actual	m ² /h	1480/890		
Scrubbing width	mm	370		
Max speed	km/h	4		
Solution/recovery tank	litre	11/11		
Brush/pad diameter	mm	370		
Brush pressure	kg	27		
Brush speed	rpm	140		
Length x width x height (machine body)	cm	73x43.5x47		
Net weight	kg	44		
Gross weight	kg	80		
Shipping weight	kg	48		
Shipping weight (full pkg)	kg	70		

Specifications and details are subject to change without prior notice.



Our Mission

We develop and deliver innovative solutions which help businesses create a safer, cleaner work place environment to protect their employees and maximise productivity. We help our clients focus on their core business activities by delivering a consistently speedy, straightforward, refreshingly different customer experience.

Available for Weekly Hire or Purchase



Address

Berrington House,
Berrington Road,
Leamington Spa
CV31 1NB

Contact

t: 0845 33 77 695
f: 0845 33 78 695
e: info@c-ind.co.uk

www.crescentindustrial.co.uk